



## **SPECIFICATION**

TELEPHONE: 01580 763593 FAX: 01580 765883  
WEBSITE: [WWW.SPAZIO.CO.UK](http://WWW.SPAZIO.CO.UK) EMAIL: [INFO@SPAZIO.CO.UK](mailto:INFO@SPAZIO.CO.UK)

### **TYPE: "BI-FOLD" DOORS**

#### **GENERAL DETAILS**

A made to measure non-acoustic wooden bi-fold door finished in high quality veneer with hardwood hinges and profiles. Suitable for commercial and domestic applications for aperture sizes:

Width: From 600mm to 2400mm  
Height: From 1900mm to 2200mm

Doors may be fitted as a single pair, a double pair or as a master and slave door as follows:

Single pair: 1200mm (maximum width)  
Double pair: 1500mm up to 2400mm  
Master and slave door: over 1000mm up to 1500mm

#### **CONSTRUCTION**

##### **Panel**

Real hardwood veneer

Panel thickness: 28mm

Panel stack: Two panels: 70mm  
Three panels: 70mm one side and 35mm the other  
Four panels: 70mm one side and 70mm the other

##### **Hinge**

Each pair of panels is linked by full length hardwood profile with recessed hinges and a moulded nib which prevents any light or draft when the door is closed.

## **SUSPENSION**

Side fixed with overhead guide track and wheel system.

## **TRACK**

Extruded anodised aluminium single rail section.

Width: 28mm                      Height: 23mm

Matching wood track cover.

Width: 65mm                      Height: 33mm

## **JAMBS**

Solid hardwood. All jambs are recessed.

## **GLASS**

Glass is fitted at the time of manufacture. Different types of glass available. Glass is either toughened or laminated as standard.

## **HARDWARE**

Gold handles and keyhole covers as standard.

Chrome fittings available.

## **LOCKING**

The door is secured by a key operated, concealed draw bolt locating to the overhead track. No floor track is required allowing for uninterrupted floor surface.

## **CLEANING**

Anti-static polish and cloth.

## **MAINTENANCE**

During the installation process a small amount of silicon is used for the first few operations. This allows the track to bed in which afterwards applies finger light operation. Self lubricating wheels require no maintenance.

## **GUARANTEE**

Product guaranteed for 5 years. (Your consumer rights are not affected.)

## **HISTORY**

First produced more than 20 years.

Thank you for choosing "SPAZIO". We remain at your service.